

## Evidence table

Table 22: Evidence table "Narratives versus factual information only"

Certainty assessment							Summary of findings				
						No. of participants per group		Effect estimates		tes	
Outcomes [No. of studies]	Study design	Risk of bias	Inconsis- tency	Indirect- ness	Impreci- sion	Interven- tion	Control	Effects	Quality of evidence	Importance	
			Narı	ratives ver	sus factua	al information	on only				
Knowledge [n=4] Cody (24) Dillard (7) Mazor (16) Rook (19)	RCT	very serious (-2)	not serious	not serious	not serious		N= 362 n intervention group unclear)	In four studies no effects (7, 16, 19, 24).	low	critical	
Recall of information [n=4] Bollinger (12) Kreuter (15) McDonald (17) Rook (20)	RCT	very serious (-2)	not serious	not serious	not serious	N= 73N= 70+ N=35 (allocation on intervention and control group unclear)		In three studies no effects (12, 17, 20), in one study effect for narratives (15).	low	critical	
Risk perception [n=9] Betsch (27) Betsch (28) Cody (24) de Wit (23) Dillard (7) Greene (14) Kreuter (15) Prati (26) Ricketts (18)	RCT	very serious (-2)	not serious	serious (-1)	not serious	· ·	N= 70 n intervention group unclear)	In six studies no effects (15, 18, 23, 24, 26, 27), in two studies effects for narratives (7, 28), in one study effect for statistics (14).	very low	critical	



Comprehensibility	RCT,	very	not	not	not	N=50	N=95	In two studies no effects (14, 21), in one study effect for narratives (26).	low	important but not critical
<b>[n=3]</b> Greene (14) Prati (26) Slater (21)	one study with within- subject Design	serious (-2)	serious	serious	serious		on intervention group unclear)			
Readability [1] Ricketts (18)	RCT	very serious (-2)	not seriuous	serious, calcula- tion of scores, no test persons (-1)	not serious	10 safety warnings each - narrative - specific example - warning only		In one study no effect (18).	very low	important but not critical
Information content [n=4] Greene (14) Kreuter (15) Rook (19) Rook (20)	RCT	very serious (-2)	not serious	not serious	not serious	N=388	N=434	In three studies no effects (15, 19, 20), in one study effect for statistics (14).	low	important but not critical
<b>Credibility [n=2]</b> Prati (26) Slater (21)	RCT one study with within- subject Design	very serious (-2)	not serious	not serious	not serious	N=342 (allocation on intervention and control group unclear)		In one study no effect (21), in one study effect for narratives (26).	low	limited importance
Attractiveness [n=1] Kreuter (15)	RCT	serious (-1)	Keine Inkonsis- tenz	Keine Indirekt- heit	Keine Impräzi- sion	N=244	N=245	In one study effect for narratives (15).	moderate	limited importance



Persuasiveness	RCT	very	not	not	not	N=5343	In seven	low	not defined
[n=7]		serious	ooriouo	ooriouo	aarioua	(total)	studies effects		
Betsch (27)		(-2)	serious	serious	serious		(narratives		
Betsch (28)							bias statistics		
Fagerlin (13)							only,		
Rook (19)							pictograms		
Rook (20)							and a		
Ubel (22)							proportional		
Winterbottom (25)							number of		
							positive /		
							negative		
							narratives		
							lower this		
							influence) (13,		
							19, 20, 22, 25,		
							27, 28).		

## References

1. Khangura S, Bennett C, Stacey D, O'Connor AM. Personal stories in publicly available patient decision aids. Patient Education & Counseling. 2008;73(3):456-64.

2. Kreuter MW, Green MC, Cappella JN, Slater MD, Wise ME, Storey D, et al. Narrative communication in cancer prevention and control: a framework to guide research and application. Annals of behavioral medicine : a publication of the Society of Behavioral Medicine. 2007;33(3):221-35. Epub 2007/06/30.

3. Winterbottom A, Bekker HL, Conner M, Mooney A. Does narrative information bias individual's decision making? A systematic review. Social Science & Medicine. 2008;67(12):2079-88.

4. Institut für Qualität und Wirtschaftlichkeit im Gesundheitswesen (IQWiG). Allgemeine Methoden. Version 4.2. 2015; https://www.iqwig.de/de/methoden/methodenpapier.3020.html, Zugriff am 19.11.2015.

5. Shaffer VA, Zikmund-Fisher BJ. All stories are not alike: a purpose-, content-, and valence-based taxonomy of patient narratives in decision aids. Medical decision making : an international journal of the Society for Medical Decision Making. 2013;33(1):4-13. Epub 2012/10/16.

6. Bunge M, Muhlhauser I, Steckelberg A. What constitutes evidence-based patient information? Overview of discussed criteria. Patient education and counseling. 2010;78(3):316-28. Epub 2009/12/17.

7. Dillard AJ, Fagerlin A, Dal Cin S, Zikmund-Fisher BJ, Ubel PA. Narratives that address affective forecasting errors reduce perceived barriers to colorectal cancer screening. Soc Sci Med. 2010;71(1):45-52. Epub 2010/04/27.

8. Feldman-Stewart D, Brennenstuhl S, McIssac K, Austoker J, Charvet A, Hewitson P, et al. A systematic review of information in decision aids. Health expectations : an international journal of public participation in health care and health policy. 2007;10(1):46-61. Epub 2007/02/28.

9. Bandura A. Health promotion by social cognitive means. Health education & behavior
: the official publication of the Society for Public Health Education. 2004;31(2):143-64. Epub 2004/04/20.

10. Enkin MW, Jadad AR. Using anecdotal information in evidence-based health care: heresy or necessity? Annals of oncology : official journal of the European Society for Medical Oncology / ESMO. 1998;9(9):963-6. Epub 1998/11/18.

11. Elwyn G, O'Connor A, Stacey D, Volk R, Edwards A, Coulter A, et al. Developing a quality criteria framework for patient decision aids: online international Delphi consensus process. BMJ (Clinical research ed). 2006;333(7565):417. Epub 2006/08/16.

12. Bollinger S, Kreuter MW. Real-time moment-to-moment emotional responses to narrative and informational breast cancer videos in African American women. Health education research. 2012;27(3):537-43. Epub 2012/04/14.

13. Fagerlin A, Wang C, Ubel PA. Reducing the influence of anecdotal reasoning on people's health care decisions: is a picture worth a thousand statistics? Medical decision making : an international journal of the Society for Medical Decision Making. 2005;25(4):398-405. Epub 2005/08/03.

14. Greene K, Brinn LS. Messages influencing college women's tanning bed use: statistical versus narrative evidence format and a self-assessment to increase perceived susceptibility. Journal of health communication. 2003;8(5):443-61. Epub 2003/10/08.

15. Kreuter MW, Holmes K, Alcaraz K, Kalesan B, Rath S, Richert M, et al. Comparing narrative and informational videos to increase mammography in low-income African American women. Patient education and counseling. 2010;81 Suppl:S6-14. Epub 2010/11/13.

16. Mazor KM, Baril J, Dugan E, Spencer F, Burgwinkle P, Gurwitz JH. Patient education about anticoagulant medication: is narrative evidence or statistical evidence more effective? Patient education and counseling. 2007;69(1-3):145-57. Epub 2007/10/19.

17. McDonald DD, Goncalves PH, Almario VE, Krajewski AL, Cervera PL, Kaeser DM, et al. Assisting women to learn myocardial infarction symptoms. Public Health Nurs. 2006;23(3):216-23. Epub 2006/05/11.

18. Ricketts M, Shanteau J, McSpadden B, Fernandez-Medina KM. Using stories to battle unintentional injuries: narratives in safety and health communication. Soc Sci Med. 2010;70(9):1441-9. Epub 2010/02/24.

19. Rook KS. Encouraging preventive behavior for distant and proximal health threats: effects of vivid versus abstract information. Journal of gerontology. 1986;41(4):526-34. Epub 1986/07/01.

20. Rook KS. Effects of Case History versus Abstract Information on Health Attitudes and Behaviors1. Journal of Applied Social Psychology. 1987;17(6):533-53.

21. Slater MD, Buller DB, Waters E, Archibeque M, LeBlanc M. A test of conversational and testimonial messages versus didactic presentations of nutrition information. Journal of Nutrition Education & Behavior. 2003;35(5):255-9.

22. Ubel PA, Jepson C, Baron J. The inclusion of patient testimonials in decision aids: effects on treatment choices. Medical decision making : an international journal of the Society for Medical Decision Making. 2001;21(1):60-8. Epub 2001/02/24.

23. de Wit JBF, Das E, Vet R. What Works Best: Objective Statistics or a Personal Testimonial? An Assessment of the Persuasive Effects of Different Types of Message Evidence on Risk Perception. Health Psychology. 2008;27(1):110-5.

24. Cody R, Lee C. Behaviors, beliefs, and intentions in skin cancer prevention. Journal of behavioral medicine. 1990;13(4):373-89. Epub 1990/08/01.

25. Winterbottom AE, Bekker HL, Conner M, Mooney AF. Patient stories about their dialysis experience biases others' choices regardless of doctor's advice: an experimental study. Nephrology, dialysis, transplantation : official publication of the European Dialysis and Transplant Association - European Renal Association. 2012;27(1):325-31. Epub 2011/06/07.

26. Prati G, Pietrantoni L, Zani B. Influenza Vaccination: The Persuasiveness of Messages Among People Aged 65 Years and Older. Health Communication. 2012;27(5):413-20.

27. Betsch C, Ulshofer C, Renkewitz F, Betsch T. The influence of narrative v. statistical information on perceiving vaccination risks. Medical decision making : an international journal of the Society for Medical Decision Making. 2011;31(5):742-53. Epub 2011/03/31.

28. Betsch C, Renkewitz F, Haase N. Effect of narrative reports about vaccine adverse events and bias-awareness disclaimers on vaccine decisions: a simulation of an online patient social network. Medical decision making : an international journal of the Society for Medical Decision Making. 2013;33(1):14-25. Epub 2012/08/10.